



Mikes Transport Warehouse

Phone: 849 3333

www.mtw.net.nz

QUALITY -NON STRUCTUAL PLYWOOD FOR SALE

Okoume Plywood

Soft wood, but strong

Size 2440x1220- thickness from 9mm to 22mm

- High Quality product
- Great choice where appearance is a key factor
- **Uses:** Attractive appearance makes it 1st choice for cabinetry, wall linings
- Boat building (*water proof coating must be used over finished ply*)
- **Other uses;** Warehouse linings, Garage linings, Sleep outs, Shelving, Beach batches. Cabinet joinery, Motor homes/Caravans
- Deer and Horse enclosures

All edges or exposed cuts must be sealed with a water proof acrylic paint or sealer if ply is going to be exposed to moisture.






Mikes Transport Warehouse

Phone: 849 3333

www.mtw.net.nz

HPL White firm coated plywood (high pressure laminate)

- White finished on facings
- 2440x1220x6mm Sheet size
- Light but very strong
- **Uses;** Kitchen joinery, Bar cabinetry, Shelving, Motor homes/caravans, Architectural linings





Mikes Transport Warehouse

Phone: 849 3333

www.mtw.net.nz

QUALITY PLYWOOD FOR SALE

Anti-slip/ Film faced Plywood

- Birch core
- 2440x1220x18mm, 2500x1250x21mm, 3050x1550x12mm sheet sizes
- **Uses;** Truck & Trailer decks, Scaffold systems, Form ply for concrete panels/boxing
- Matching paint/sealer available from MTW
-

NOTE; Seal all edges and cut faces with a Water Proof acrylic Paint or Sealer





Mikes Transport Warehouse

Phone: 849 3333

www.mtw.net.nz

Hardwood Core Plywood (Container flooring)

- 2440x1220x18mm sheet size
- **Uses:** Container flooring, Flooring, Form ply for Concrete panels/ boxing
- Deer and Horse enclosures
- Enclosed truck decking



NOTE; Seal all edges and cut faces with a Water Proof acrylic Paint or Sealer available from MTW