




Mike's Transport Warehouse Ltd
 State Highway 1 North, Hamilton, New Zealand
 Phone 64-7-8508333 Fax 64-7-8508200
 Po Box:10028 TeRapa
 E-Mail:kerry@modtrans.co.nz
 Mobile:0274 820028


MTW PLASTIC / STAINLESS STEEL MUDGUARDS


Rhino Manufacturing

Plastic truck mudguards


A range of heavy truck mudguards, rotationally moulded from virgin high grade polyethylene. The range covers standard duals, singles, tandems, self steer, front steer and quarter guards. Available in a range of sizes and in fifteen colours. These are the toughest mudguards, moulded for New Zealand's extreme UV conditions.

STANDARD	PART#	RAD	SPAN	WIDTH	CIRC	WEIGHT	TYRE
	PL0925	462	950	540	1495	4 kg	17.5 duals
	PL10058	500	1000	580	1665	4.3 kg	19.5 duals
	PL10548	525	1050	480	1665	4.3 kg	355/50R
	PL1056	525	1050	630	1780	5.3 kg	255/70R duals
	PL1204	600	1200	430	1945	5 kg	Front steer Single
	PL12063	600	1200	630	1945	6 kg	11R 22.5 Duals
	PL12067	600	1200	670	2075	7.3 kg	285,295 Duals


SELF STEER	PART#	RAD	SPAN	WIDTH	CIRC	WEIGHT	TYRE
	PL19.5 CESKI	500	1250	580	1920	5.7 kg	19.5
	PLLPCESKI	525	1280	630	1995	6.5 kg	255/70R
	PLMEGCES	525	1250	480	1980	4.5 kg	Mega/steer
	PLSTDCESKI	600	1450	630	2190	6.5 kg	11R 22.5

HALF TANDEM	PART#	RAD	SPAN	WIDTH	CIRC	WEIGHT	TYRE
	PL1606/2	525	840	630	1220	5.7 kg	255/70R,22.5
	PL25067/2	600	1210	670	1600	6.5 kg	11R22.5,275/70R


TANDEM	PART#	RAD	SPAN	WIDTH	CIRC	WEIGHT	TYRE
	PL2506	600	2500	630	3250	12.5 kg	11R22.5 285,295.
	PL2606	600	2600	630	3350	12.5 kg	11R22.5,285,295.


RIBBED STANDARD	PART#	RAD	SPAN	WIDTH	CIRC	WEIGHT	TYRE
	STR10058	500	1000	580	1600	9.4 kg	265/70R 22.5
	STR1056	525	1050	630	1650	9.6 kg	255/70 22.5
	STR1105	550	1100	580	1725	9.5 kg	275single
	STR1106	550	1100	630	1725	9.6 kg	275/70R 22.5
	STR1204	600	1200	480	1840	7.8 kg	11R single
	STR1205	600	1200	580	1840	9.5 kg	385/75R 22.5
	STR1206	600	1200	630	1840	10.2 kg	11R 22.5


Chassis poles


	STEEL OFFSET CHASSIS POLE
	<p>PART# CPO Weight 3.3kg Chassis pole made from 40NB steel and offset for easy fitting. One 17mm diameter hole in the base , 750mm long. Offset is 150mm centers. Zinc plated.</p> <p>Also available hot dip galvanised or powder coated in a range of colours.</p>

Saddles, plastic and aluminium.

	PLASTIC SADDLE
	<p>PART# PLSAD Weight 430gm Glass reinforced nylon saddles fit 40NB pipe 48.5mm dia. Available in a range of colours, red, medium blue, dark blue, green, white, grey and black . Rhino colour codes 50,326,369,208,05,814,70 Supplied with nuts and bolts. Outer holes 232mm centers.</p>

	PLASTIC CLAMP
	<p>PART# PLCL Weight 175gm Nylon clamps fit 40 NB pipe 48.5mm dia. Available in a range of colours, red, light blue, medium blue, dark blue, green, white, yellow ,grey and black . Rhino colour codes 50,325,326,370,208,05,117,814,70. Supplied with nuts and bolts. Holes at 78mm centers</p>

	CAST ALUMINIUM SADDLE
	<p>Weight .7kg each PART#: asc Hole centers 200mm. Fits 40 NB pipe 48.5 dia. Supplied as cast, complete with nuts, bolts rubber isolating pads and backing plates.</p>

	EXTRUDED ALUMINIUM SADDLE
	<p>PART#: ase Weight .5kg each Hole centers 200mm. Fits 40 NB pipe 48.5 dia. Supplied as extruded, complete with nuts, bolts rubber isolating pads and backing plates</p>




Mike's Transport Warehouse Ltd
 State Highway 1 North, Hamilton, New Zealand
 Phone 64-7-8508333 Fax 64-7-8508200
 Po Box:10028 TeRapa
 E-Mail:kerry@modtrans.co.nz
 Mobile:0274 820028


MTW PLASTIC / STAINLESS STEEL MUDGUARDS


Rhino Manufacturing

Plastic truck mudguards


A range of heavy truck mudguards, rotationally moulded from virgin high grade polyethylene. The range covers standard duals, singles, tandems, self steer, front steer and quarter guards. Available in a range of sizes and in fifteen colours. These are the toughest mudguards, moulded for New Zealand's extreme UV conditions.

STANDARD	PART#	RAD	SPAN	WIDTH	CIRC	WEIGHT	TYRE
	PL0925	462	950	540	1495	4 kg	17.5 duals
	PL10058	500	1000	580	1665	4.3 kg	19.5 duals
	PL10548	525	1050	480	1665	4.3 kg	355/50R
	PL1056	525	1050	630	1780	5.3 kg	255/70R duals
	PL1204	600	1200	430	1945	5 kg	Front steer Single
	PL12063	600	1200	630	1945	6 kg	11R 22.5 Duals
	PL12067	600	1200	670	2075	7.3 kg	285,295 Duals


SELF STEER	PART#	RAD	SPAN	WIDTH	CIRC	WEIGHT	TYRE
	PL19.5 CESKI	500	1250	580	1920	5.7 kg	19.5
	PLLPCESKI	525	1280	630	1995	6.5 kg	255/70R
	PLMEGCES	525	1250	480	1980	4.5 kg	Mega/steer
	PLSTDCESKI	600	1450	630	2190	6.5 kg	11R 22.5

HALF TANDEM	PART#	RAD	SPAN	WIDTH	CIRC	WEIGHT	TYRE
	PL1606/2	525	840	630	1220	5.7 kg	255/70R,22.5
	PL25067/2	600	1210	670	1600	6.5 kg	11R22.5,275/70R


TANDEM	PART#	RAD	SPAN	WIDTH	CIRC	WEIGHT	TYRE
	PL2506	600	2500	630	3250	12.5 kg	11R22.5 285,295.
	PL2606	600	2600	630	3350	12.5 kg	11R22.5,285,295.

RIBBED STANDARD	PART#	RAD	SPAN	WIDTH	CIRC	WEIGHT	TYRE
	STR10058	500	1000	580	1600	9.4 kg	265/70R 22.5
	STR1056	525	1050	630	1650	9.6 kg	255/70 22.5
	STR1105	550	1100	580	1725	9.5 kg	275single
	STR1106	550	1100	630	1725	9.6 kg	275/70R 22.5
	STR1204	600	1200	480	1840	7.8 kg	11R single
	STR1205	600	1200	580	1840	9.5 kg	385/75R 22.5
	STR1206	600	1200	630	1840	10.2 kg	11R 22.5


Chassis poles


	STEEL OFFSET CHASSIS POLE
	<p>PART# CPO Weight 3.3kg Chassis pole made from 40NB steel and offset for easy fitting. One 17mm diameter hole in the base , 750mm long. Offset is 150mm centers. Zinc plated.</p> <p>Also available hot dip galvanised or powder coated in a range of colours.</p>

Saddles, plastic and aluminium.

	PLASTIC SADDLE
	<p>PART# PLSAD Weight 430gm Glass reinforced nylon saddles fit 40NB pipe 48.5mm dia. Available in a range of colours, red, medium blue, dark blue, green, white, grey and black . Rhino colour codes 50,326,369,208,05,814,70 Supplied with nuts and bolts. Outer holes 232mm centers.</p>

	PLASTIC CLAMP
	<p>PART# PLCL Weight 175gm Nylon clamps fit 40 NB pipe 48.5mm dia. Available in a range of colours, red, light blue, medium blue, dark blue, green, white, yellow ,grey and black . Rhino colour codes 50,325,326,370,208,05,117,814,70. Supplied with nuts and bolts. Holes at 78mm centers</p>

	CAST ALUMINIUM SADDLE
	<p>Weight .7kg each PART#: asc Hole centers 200mm. Fits 40 NB pipe 48.5 dia. Supplied as cast, complete with nuts, bolts rubber isolating pads and backing plates.</p>

	EXTRUDED ALUMINIUM SADDLE
	<p>PART#: ase Weight .5kg each Hole centers 200mm. Fits 40 NB pipe 48.5 dia. Supplied as extruded, complete with nuts, bolts rubber isolating pads and backing plates</p>




Mike's Transport Warehouse Ltd
 State Highway 1 North, Hamilton, New Zealand
 Phone 64-7-8508333 Fax 64-7-8508200
 Po Box:10028 TeRapa
 E-Mail:kerry@modtrans.co.nz
 Mobile:0274 820028


MTW PLASTIC / STAINLESS STEEL MUDGUARDS


Rhino Manufacturing

Plastic truck mudguards


A range of heavy truck mudguards, rotationally moulded from virgin high grade polyethylene. The range covers standard duals, singles, tandems, self steer, front steer and quarter guards. Available in a range of sizes and in fifteen colours. These are the toughest mudguards, moulded for New Zealand's extreme UV conditions.

STANDARD	PART#	RAD	SPAN	WIDTH	CIRC	WEIGHT	TYRE
	PL0925	462	950	540	1495	4 kg	17.5 duals
	PL10058	500	1000	580	1665	4.3 kg	19.5 duals
	PL10548	525	1050	480	1665	4.3 kg	355/50R
	PL1056	525	1050	630	1780	5.3 kg	255/70R duals
	PL1204	600	1200	430	1945	5 kg	Front steer Single
	PL12063	600	1200	630	1945	6 kg	11R 22.5 Duals
	PL12067	600	1200	670	2075	7.3 kg	285,295 Duals


SELF STEER	PART#	RAD	SPAN	WIDTH	CIRC	WEIGHT	TYRE
	PL19.5 CESKI	500	1250	580	1920	5.7 kg	19.5
	PLLPCESKI	525	1280	630	1995	6.5 kg	255/70R
	PLMEGCES	525	1250	480	1980	4.5 kg	Mega/steer
	PLSTDCESKI	600	1450	630	2190	6.5 kg	11R 22.5

HALF TANDEM	PART#	RAD	SPAN	WIDTH	CIRC	WEIGHT	TYRE
	PL1606/2	525	840	630	1220	5.7 kg	255/70R,22.5
	PL25067/2	600	1210	670	1600	6.5 kg	11R22.5,275/70R


TANDEM	PART#	RAD	SPAN	WIDTH	CIRC	WEIGHT	TYRE
	PL2506	600	2500	630	3250	12.5 kg	11R22.5 285,295.
	PL2606	600	2600	630	3350	12.5 kg	11R22.5,285,295.


RIBBED STANDARD	PART#	RAD	SPAN	WIDTH	CIRC	WEIGHT	TYRE
	STR10058	500	1000	580	1600	9.4 kg	265/70R 22.5
	STR1056	525	1050	630	1650	9.6 kg	255/70 22.5
	STR1105	550	1100	580	1725	9.5 kg	275single
	STR1106	550	1100	630	1725	9.6 kg	275/70R 22.5
	STR1204	600	1200	480	1840	7.8 kg	11R single
	STR1205	600	1200	580	1840	9.5 kg	385/75R 22.5
	STR1206	600	1200	630	1840	10.2 kg	11R 22.5


Chassis poles


	STEEL OFFSET CHASSIS POLE
	<p>PART# CPO Weight 3.3kg Chassis pole made from 40NB steel and offset for easy fitting. One 17mm diameter hole in the base , 750mm long. Offset is 150mm centers. Zinc plated.</p> <p>Also available hot dip galvanised or powder coated in a range of colours.</p>

Saddles, plastic and aluminium.

	PLASTIC SADDLE
	<p>PART# PLSAD Weight 430gm Glass reinforced nylon saddles fit 40NB pipe 48.5mm dia. Available in a range of colours, red, medium blue, dark blue, green, white, grey and black . Rhino colour codes 50,326,369,208,05,814,70 Supplied with nuts and bolts. Outer holes 232mm centers.</p>

	PLASTIC CLAMP
	<p>PART# PLCL Weight 175gm Nylon clamps fit 40 NB pipe 48.5mm dia. Available in a range of colours, red, light blue, medium blue, dark blue, green, white, yellow ,grey and black . Rhino colour codes 50,325,326,370,208,05,117,814,70. Supplied with nuts and bolts. Holes at 78mm centers</p>

	CAST ALUMINIUM SADDLE
	<p>Weight .7kg each PART#: asc Hole centers 200mm. Fits 40 NB pipe 48.5 dia. Supplied as cast, complete with nuts, bolts rubber isolating pads and backing plates.</p>

	EXTRUDED ALUMINIUM SADDLE
	<p>PART#: ase Weight .5kg each Hole centers 200mm. Fits 40 NB pipe 48.5 dia. Supplied as extruded, complete with nuts, bolts rubber isolating pads and backing plates</p>




Mike's Transport Warehouse Ltd
 State Highway 1 North, Hamilton, New Zealand
 Phone 64-7-8508333 Fax 64-7-8508200
 Po Box:10028 TeRapa
 E-Mail:kerry@modtrans.co.nz
 Mobile:0274 820028


MTW PLASTIC / STAINLESS STEEL MUDGUARDS


Rhino Manufacturing

Plastic truck mudguards


A range of heavy truck mudguards, rotationally moulded from virgin high grade polyethylene. The range covers standard duals, singles, tandems, self steer, front steer and quarter guards. Available in a range of sizes and in fifteen colours. These are the toughest mudguards, moulded for New Zealand's extreme UV conditions.

STANDARD	PART#	RAD	SPAN	WIDTH	CIRC	WEIGHT	TYRE
	PL0925	462	950	540	1495	4 kg	17.5 duals
	PL10058	500	1000	580	1665	4.3 kg	19.5 duals
	PL10548	525	1050	480	1665	4.3 kg	355/50R
	PL1056	525	1050	630	1780	5.3 kg	255/70R duals
	PL1204	600	1200	430	1945	5 kg	Front steer Single
	PL12063	600	1200	630	1945	6 kg	11R 22.5 Duals
	PL12067	600	1200	670	2075	7.3 kg	285,295 Duals


SELF STEER	PART#	RAD	SPAN	WIDTH	CIRC	WEIGHT	TYRE
	PL19.5 CESKI	500	1250	580	1920	5.7 kg	19.5
	PLLPCESKI	525	1280	630	1995	6.5 kg	255/70R
	PLMEGCES	525	1250	480	1980	4.5 kg	Mega/steer
	PLSTDCESKI	600	1450	630	2190	6.5 kg	11R 22.5

HALF TANDEM	PART#	RAD	SPAN	WIDTH	CIRC	WEIGHT	TYRE
	PL1606/2	525	840	630	1220	5.7 kg	255/70R,22.5
	PL25067/2	600	1210	670	1600	6.5 kg	11R22.5,275/70R


TANDEM	PART#	RAD	SPAN	WIDTH	CIRC	WEIGHT	TYRE
	PL2506	600	2500	630	3250	12.5 kg	11R22.5 285,295.
	PL2606	600	2600	630	3350	12.5 kg	11R22.5,285,295.


RIBBED STANDARD	PART#	RAD	SPAN	WIDTH	CIRC	WEIGHT	TYRE
	STR10058	500	1000	580	1600	9.4 kg	265/70R 22.5
	STR1056	525	1050	630	1650	9.6 kg	255/70 22.5
	STR1105	550	1100	580	1725	9.5 kg	275single
	STR1106	550	1100	630	1725	9.6 kg	275/70R 22.5
	STR1204	600	1200	480	1840	7.8 kg	11R single
	STR1205	600	1200	580	1840	9.5 kg	385/75R 22.5
	STR1206	600	1200	630	1840	10.2 kg	11R 22.5


Chassis poles


	STEEL OFFSET CHASSIS POLE
	<p>PART# CPO Weight 3.3kg Chassis pole made from 40NB steel and offset for easy fitting. One 17mm diameter hole in the base , 750mm long. Offset is 150mm centers. Zinc plated.</p> <p>Also available hot dip galvanised or powder coated in a range of colours.</p>

Saddles, plastic and aluminium.

	PLASTIC SADDLE
	<p>PART# PLSAD Weight 430gm Glass reinforced nylon saddles fit 40NB pipe 48.5mm dia. Available in a range of colours, red, medium blue, dark blue, green, white, grey and black . Rhino colour codes 50,326,369,208,05,814,70 Supplied with nuts and bolts. Outer holes 232mm centers.</p>

	PLASTIC CLAMP
	<p>PART# PLCL Weight 175gm Nylon clamps fit 40 NB pipe 48.5mm dia. Available in a range of colours, red, light blue, medium blue, dark blue, green, white, yellow ,grey and black . Rhino colour codes 50,325,326,370,208,05,117,814,70. Supplied with nuts and bolts. Holes at 78mm centers</p>

	CAST ALUMINIUM SADDLE
	<p>Weight .7kg each PART#: asc Hole centers 200mm. Fits 40 NB pipe 48.5 dia. Supplied as cast, complete with nuts, bolts rubber isolating pads and backing plates.</p>

	EXTRUDED ALUMINIUM SADDLE
	<p>PART#: ase Weight .5kg each Hole centers 200mm. Fits 40 NB pipe 48.5 dia. Supplied as extruded, complete with nuts, bolts rubber isolating pads and backing plates</p>